# ACETAMINOPHEN CAPLETS, 500 MG EXTRA STRENGTH- acetaminophen tablet GRAXCELL PHARMACEUTICAL, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

## Graxcell Pharmaceutical Acetaminophen Caplets, 500 mg

### **Active ingredient (in each tablet)**

**ACETAMINOPHEN 500 MG** 

### **Purpose**

PAIN RELIEVER/FEVER REDUCER

#### **USES**

- temporarily relieves minor aches and pains due to:
- headache
- muscular aches
- backache
- minor pain of arthritis
- the common cold
- toothache
- premenstrual and menstrual cramps
- temporarily reduces fever

#### **Warnings**

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

#### Do not use:

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- you have ever had an allergic reaction to this productor any of its ingredients

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

• pain gets worse or lasts more than 10 days

- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

#### Do not use

without consulting a physician

## Ask a physician before use

if you have a sodium restricted diet due to multiple organ diseases

## Stop use and ask a physician

If symptoms of heat cramps continue for more than 24 hours

## If pregnant or breast-feeding

ask a health professional before use.

### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### **Directions**

• do not take more than directed (see overdose warning)

Adults and children 12 years and over

- take 2 caplets every 6 hours while symptoms last
- do not take more than 6 caplets in 24 hours, unless directed by a doctor
- do not use for more than 10 days unless directed by a doctor

Children under 12 years


ask a doctor

#### Other information

• Store at room temperature 20°-25°C (68°-77°F).

#### INACTIVE INGREDIENTS

carnauba wax, hypromellose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid



100 Caplets

#### Store at room temperature 20°-25°C (68°-77°F) professional before use. Keep out of reach of children days unless directed by a doctor *Directions* ■ do not take more than directed 1-800-222-1222) Quick medical attention is critical Overdose warning: In case of overdose, get medical Ask a doctor or pharmacist before use if you are nelp or contact a Poison Control Center right away. for adults as well as for children even if you do not do not use for more than 10 take 2 caplets every 6 hours Ask a doctor before use if you have liver disease caplets in 24 hours, unless ■ do not take more than 6 pregelatinized starch, sodium starch glycolate ■ pain gets worse or lasts more than 10 days ■ fever gets worse or lasts more than 3 days hypromellose, polyethylene glycol, povidone If pregnant or breast-feeding, ask a health These could be signs of a serious condition. while symptoms last Inactive ingredients camauba wax, directed by a doctor taking the blood thinning drug warfarin ask a doctor Call toll free: 1-888-266-8818 Questions or Comments? redness or swelling is present notice any signs or symptoms Stop use and ask a doctor if see overdose warning Other information new symptoms occur years and over children under children 12 adults and stearic acid 12 years

## ACETAMINOPHEN CAPLETS, 500 MG EXTRA STRENGTH

acetaminophen tablet

*Drug Fact*s (continued

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70795-1200
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ACETAMINO PHEN (UNII: 36209 ITL9 D) (ACETAMINO PHEN - UNII: 36209 ITL9 D)	ACETAMINOPHEN	500 mg

Inactive Ingredients	
Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0 EIZ)	

HYPROMELLOSE 2208 (100000 MPA.S) (UNII: VM7F0B23ZI)	
POLYETHYLENE GLYCOL 1000 (UNII: U076Q6Q621)	
PO VIDO NE (UNII: FZ989 GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics				
Color	white	Score	no score	
Shape	OVAL	Size	18 mm	
Flavor		Imprint Code	500	
Contains				

Ш	Packaging					
	# Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>		
	1 NDC:70795-1200-1	100 in 1 BOTTLE; Type 0: Not a Combination Product	11/16/2020			
	2 NDC:70795-1200-2	200 in 1 BOTTLE; Type 0: Not a Combination Product	11/16/2020			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part343	11/16/2020		

## Labeler - GRAXCELL PHARMACEUTICAL, LLC (056556923)

Revised: 12/2020 GRAXCELL PHARMACEUTICAL, LLC